

Package ‘Ularcirc’

May 26, 2026

Type Package

Title Shiny app for canonical and back splicing analysis (i.e. circular and mRNA analysis)

Version 1.30.0

Description Ularcirc reads in STAR aligned splice junction files and provides visualisation and analysis tools for splicing analysis. Users can assess backsplice junctions and forward canonical junctions.

biocViews DataRepresentation, Visualization, Genetics, Sequencing, Annotation, Coverage, AlternativeSplicing, DifferentialSplicing

License file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.4.0)

Imports AnnotationHub, AnnotationDbi, BiocGenerics, Biostrings, BSgenome, data.table (>= 1.9.4), DT, GenomicFeatures, GenomeInfoDb, GenomeInfoDbData, GenomicAlignments, GenomicRanges, ggplot2, ggrepel, gsubfn, moments, Organism.dplyr, plotgardener, R.utils, S4Vectors, shiny, shinydashboard, shinyFiles, shinyjs, yaml

RoxygenNote 7.3.2

Suggests BSgenome.Hsapiens.UCSC.hg38, BiocStyle, httpuv, knitr, org.Hs.eg.db, rmarkdown, TxDb.Hsapiens.UCSC.hg38.knownGene

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/Ularcirc>

git_branch RELEASE_3_23

git_last_commit 632b8f3

git_last_commit_date 2026-04-28

Repository Bioconductor 3.23

Date/Publication 2026-05-25

Author David Humphreys [aut, cre]

Maintainer David Humphreys <d.humphreys@victorchang.edu.au>

Contents

BSJ_details	2
bsj_fastq_generate	3
bsj_to_circRNA_sequence	4
chimericFilters	6
chimericStats	7
circSequence	7
Compatible_Annotation_DBs	8
FilterChimericJuncs	9
FilterChimeric_Ularcirc	10
Junction_Sequence_from_Genome	11
loadSTAR_chimeric	11
load_miRBase_fasta	12
miR_binding_site_Analysis	13
plot_AllJunctions	14
RAD_score	15
SelectUniqueJunctions	16
sequence_from_exon_coords	17
Ularcirc	17
Index	18

BSJ_details	<i>BSJ_details</i> This function returns details of a BSJ string and returns a list of coordinates. Can accept two different formats, Ularcirc or generic.
-------------	--

Description

BSJ_details This function returns details of a BSJ string and returns a list of coordinates. Can accept two different formats, Ularcirc or generic.

Usage

```
BSJ_details(BSJ)
```

Arguments

BSJ : backsplice junction as a string. See details below for example formats

Examples

```
bsj <- 'chr14_99465814_chr14_99458278' # Historic Ularcirc format

bsj <- c("chr14_99465814_chr14_99458278", "chr22_20933778_chr22_20934245",
        "chr12_120155720_chr12_120154969", "chr4_143543508_chr4_143543973",
        "chr10_7285955_chr10_7276891")
```

```
BSJ_details(bsj)

bsj <- 'chr10:100923974-100926020:+' # generic format
BSJ_details(bsj)
```

bsj_fastq_generate *bsj_fastq_generate*

Description

Takes a circRNA predicted sequence and generates synthetic short sequence reads

Usage

```
bsj_fastq_generate(  
  circRNA_Sequence,  
  fragmentLength = 300,  
  readLength = 100,  
  variations = 4,  
  headerID = ""  
)
```

Arguments

circRNA_Sequence : Linear sequence of a circRNA. i.e. the backsplice junction is the first and last base of this sequence

fragmentLength : Is the length the library fragment

readLength : The sequence read length

variations : Number of sequences returned for each read type. Note each sequence variation will start at a unique location (where possible)

headerID : Character identifier that will be incorporated into sequence header

Value

Returns a list of two DNAstring sets labelled "read1" and "read2" which correspond to forward and reverse read pairs.

Examples

```
library('Ularcirc')

# Generate a 500nt sequence containing A and which is flanked with GG and CC.
circRNA_Sequence <- paste(rep('A',500),collapse='')
circRNA_Sequence <- paste('GG',circRNA_Sequence, 'CC', sep='')
```

```

# The GG and CC ends of sequence represent ends of linear exons that are circularised.
# Therefore the backsplice junction (BSJ) is GGCC.
# Generate reads that alternate over this BSJ

fastqReads <- bsj_fastq_generate(circRNA_Sequence, fragmentLength=300, readLength=100,
                                variations = 4, # Four type I , II, III, and IV reads generated
                                headerID='circRNA_example') # Identifier incorporated in name of each sequence
# The following will indicate 12 sequences are present in each list entry
length(fastqReads$read1)
length(fastqReads$read2)

# Can create fastq file as follows
Biostrings::writeXStringSet( fastqReads$read1,"circRNA_Sample_R1.fastq.gz",
                             compress = TRUE, format="fastq")
Biostrings::writeXStringSet( fastqReads$read2,"circRNA_Sample_R2.fastq.gz",
                             compress = TRUE, format="fastq")

```

bsj_to_circRNA_sequence

bsj_to_circRNA_sequence

Description

Takes one BSJ coordinate and generates a predicted circular RNA sequence.

Usage

```

bsj_to_circRNA_sequence(
  BSJ,
  geneID = NULL,
  genome,
  TxDb,
  annotationLibrary,
  reduce_candidates = TRUE,
  shiny = FALSE
)

```

Arguments

BSJ	: BSJ coordinate in the format of chr_coordinate_chr_coorindate OR chr:coordinate-coorindate:strand.
geneID	: The gene ID that the BSJ aligns to. Not essential as this can be identified from the BSJ coordinate, however time performance of function improved if this information can be provided.
genome	: Is the length f the library fragment
TxDb	: The sequence read length
annotationLibrary	: annotation database. See details for example.

reduce_candidates : IF multiple exon entries align to a single BSJ then either return longest entry (TRUE) or all entries (FALSE)

shiny : If TRUE then will setup shiny progress bars. Default is FALSE where a standard text progress bar is used.

Details

Backsplice junction coordinates are typically reported as a character string. Two formats are recognised, ":" delimited (eg circExplorer, CIRI) or "_" delimited (Ularcirc). The BSJ genomic coordinates are compared against the supplied gene model and exonic sequences from matching splice junctions are concatenated. This means the BSJ is the first and last nucleotide of the returned sequence. The current implementation will automatically check 0 or 1 base coordinates and any match is returned.

In some cases one BSJ will match multiple exon combinations. The default setting is to return the longest sequence. Alternatively all possibilities can be returned by setting reduce_candidates to FALSE. BSJ candidates that align to multiple exon combinations are added to duplicated list.

BSJ that do not align to any canonical junctions are returned as failed.

Value

Returns a DNAstring object.

Examples

```
library('Ularcirc')
TxDb <- TxDb.Hsapiens.UCSC.hg38.knownGene::TxDb.Hsapiens.UCSC.hg38.knownGene
genome <- BSgenome.Hsapiens.UCSC.hg38::BSgenome.Hsapiens.UCSC.hg38
annotationLibrary <- org.Hs.eg.db::org.Hs.eg.db

# Define BSJ. Following two formats are accepted
BSJ <- 'chr2:40430305-40428472:-' # SLC8A1
BSJ <- 'chr2_40430305_chr2_40428472' # SLC8A1

circRNA_sequence <- bsj_to_circRNA_sequence(BSJ, "SLC8A1", genome, TxDb, annotationLibrary)

# You can also retrieve sequence without passing gene annotation - but this is slower
# circRNA_sequence <- bsj_to_circRNA_sequence(BSJ, NULL, genome, TxDb, annotationLibrary)

TxDb <- TxDb.Hsapiens.UCSC.hg38.knownGene::TxDb.Hsapiens.UCSC.hg38.knownGene
genome <- BSgenome.Hsapiens.UCSC.hg38::BSgenome.Hsapiens.UCSC.hg38
# EXAMPLE1 (3 fail and 2 will produce sequences)
BSJ <- c("chr14_99465814_chr14_99458278", "chr22_20933778_chr22_20934245",
        "chr12_120155720_chr12_120154969", "chr4_143543508_chr4_143543973",
        "chr10_7285955_chr10_7276891")
GeneIDs <- c("SMARCA5", "MSLN", "RNF138", "KIAA0368", "CRKL")
circRNA_sequence <- bsj_to_circRNA_sequence(BSJ, GeneIDs, genome, TxDb, annotationLibrary)

# Returns a list with three items:
# (1) "identified" is a list of DNA strings from BSJ that aligned to FSJ coordinates of the gene model
# (2) "failed" is a character object of BSJ that did not align to FSJ coordinates of gene model. Each entry is
```

```
# named with gene ID.  
# (3) "duplicates" (not implemented yet) identifies which BSJ returned multiple sequences
```

chimericFilters	<i>chimericFilters</i>
-----------------	------------------------

Description

A wrapper function that prepares a list of filters that can be passed

Usage

```
chimericFilters(  
  BSjuncName = NULL,  
  sortDir = "Descending",  
  indexNumber = 1,  
  displayNumber = 10,  
  displayRADscore = FALSE,  
  RADcountThreshold = 10,  
  applyFSJfilter = FALSE  
)
```

Arguments

BSjuncName : A character string that represents a backsplice junction ID. Set when needing to extract a specific junction. Default NULL.

sortDir : Specifies how data is sorted, either "Descending" (default) or "Ascending".

indexNumber : Filter data according to this file index

displayNumber : Number of records to display in an shiny app

displayRADscore : Boolean. If TRUE then will apply/calculate RAD score

RADcountThreshold : Integer. The minimum count threshold required to calculate RAD score. i.e. A default RAD score of -1 will be applied to any BSJ with a count less than this score

applyFSJfilter : Boolean of whether to apply FSJ filter

chimericStats	<i>chimericStats</i>
---------------	----------------------

Description

Simple function that returns a list of basic stats obtained from a STAR chimeric file

Usage

```
chimericStats(chimericDT)
```

Arguments

chimericDT : Data table of chimeric junctions as provided by STAR aligner

See Also

FilterChimericJuncs

Examples

```
extdata_path <- system.file("extdata", package = "Ularcirc")
chimeric.file <- paste0(extdata_path, "/SRR444655_subset.Chimeric.out.junction.gz")
chimericDT <- Ularcirc::loadSTAR_chimeric(chimeric.file, returnColIdx = 1:14)
Ularcirc::chimericStats(chimericDT$data_set)
chimericDT$filtered <- Ularcirc::FilterChimericJuncs(chimericDT$data_set, canonicalJuncs = TRUE)
Ularcirc::chimericStats(chimericDT$filtered)
```

circSequence	<i>circSequence</i> This function returns pre-defined full length circRNA sequences.
--------------	--

Description

circSequence This function returns pre-defined full length circRNA sequences.

Usage

```
circSequence(circRNA_ID = "s1c8a1")
```

Arguments

circRNA_ID : Character string of a circRNA_ID

Examples

```
circSequence(circRNA_ID="slc8a1")
```

Compatible_Annotation_DBs

Compatible_Annotation_DBs

Description

Interrogates Bioconductor databases and identifies those that are compatible with Ularcirc. Builds a list of commands that the user can copy to install the required database on their local computer. Once installed the databases are immediately available to Ularcirc upon re-starting the shiny app. This function requires connection to the internet.

Usage

```
Compatible_Annotation_DBs(search_term = "")
```

Arguments

`search_term` : character string of a full or part name of a database. Will return only those entries that contain this search term. Not case sensitive.

Value

Returns a list of compatible annotation databases

Examples

```
# Get all Bioconductor annotation databases that are compatible with Ularcirc
library('BSgenome')
library('htpuv')
library('AnnotationHub')
# Prepare a dataframe of all compatible annotation databases
## Not run: compatible_DBs_human <- Compatible_Annotation_DBs("Hsapiens")

# Example of how to find a relevant database and load the relevant databases:
# This example find hg38 databases
idx <- grep(pattern="hg38", x= compatible_DBs_human[, "genome"])

if (!requireNamespace("BiocManager", quietly=TRUE))
  install.packages("BiocManager")
BiocManager::install(c(compatible_DBs[idx,]))

## End(Not run)
```

FilterChimericJuncs *FilterChimericJuncs*

Description

A generic function that filters STAR chimeric junction files on certain genomic criteria (eg strand, same chromosome etc). Useful filter to remove the most obvious false positives. The default filter settings are suitable for circRNA discovery in humans / mice data sets.

Usage

```
FilterChimericJuncs(  
  All_junctions,  
  chromFilter = TRUE,  
  strandFilter = TRUE,  
  genomicDistance = c(200, 1e+05),  
  canonicalJuncs = TRUE,  
  fileID = c(-1),  
  chrM_Filter = TRUE,  
  invertReads = FALSE  
)
```

Arguments

All_junctions : data.table of chimeric reads from STAR aligner

chromFilter : when TRUE (default) both chimera parts have to align to same chromosome

strandFilter : when TRUE (default) both chimera parts have to align to same strand

genomicDistance : minimum and maximum distance filters of chimeric reads on chromosome. Only is applied if ChromFilter is TRUE and StrandFilter is TRUE

canonicalJuncs : Will include any canonical junctions (default TRUE). Note STAR keeps canonical junctions that do not conform to aligner rules.

fileID : Specify a file index. Useful if planing to concatenating all data sets into a single table.

chrM_Filter : Filter out mitochondrial chimeric reads (default TRUE)

invertReads : Boolean that specifies in read strand should be inverted (default FALSE).

See Also

SelectUniqueJunctions, loadSTAR_chimeric

Examples

```

extdata_path <- system.file("extdata",package = "Ularcirc")
chimeric.file <- paste0(extdata_path,"/SRR444655_subset.Chimeric.out.junction.gz")
chimericsDT <- Ularcirc::loadSTAR_chimeric(chimeric.file,returnColIdx = 1:14)
chimericsDT$filtered <- Ularcirc::FilterChimericJuncs(chimericsDT$data_set, canonicalJuncs = TRUE)

```

FilterChimeric_Ularcirc

Wrapper function for Ularcirc shiny app which expects a list of objects to be returned

Description

NEED to ensure that unstranded boolean value is passed to this function Not tested via shiny app yet.

Usage

```

FilterChimeric_Ularcirc(
  All_junctions,
  chromFilter = TRUE,
  strandFilter = TRUE,
  genomicDistance = c(200, 1e+05),
  canonicalJuncs = TRUE,
  fileID = c(-1),
  chrM_Filter = TRUE,
  invertReads = FALSE,
  unstranded = FALSE,
  summaryNumber = 50
)

```

Arguments

All_junctions : data.table of chimeric reads from STAR aligner

chromFilter : when TRUE (default) both chimera parts have to align to same chromosome

strandFilter : when TRUE (default) both chimera parts have to align to same strand

genomicDistance
: minimum and maximum distance filters of chimeric reads on chromosome. Only is applied if ChromFilter is TRUE and StrandFilter is TRUE

canonicalJuncs : Will include any canonical junctions (default TRUE). Note STAR keeps canonical junctions that do not conform to aligner rules.

fileID : Specify a file index. Useful if planing to concatenating all data sets into a single table.

chrM_Filter : Filter out mitochondrial chimeric reads (default TRUE)

invertReads : Boolean that specifies in read strand should be inverted (default FALSE).
 unstranded : Boolean for if reads are unstranded
 summaryNumber : Number (Integer) of records to display in shiny app

Junction_Sequence_from_Genome
Grab_BS_Junc_Sequence

Description

This function extracts genomic sequence that is likely to capture BSJ. Function does not cross validate to gene models.

Usage

```
Junction_Sequence_from_Genome(SelectUniqueJunct_Value, GeneList)
```

Arguments

GeneList : GeneList
 SelectUniqueJunct_value : a dataframe with columns names startDonor, strandDonor, startAcceptor

loadSTAR_chimeric *loadSTAR_chimeric*

Description

Loads chimeric output file from the STAR aligner and returns a list containing three items (a data table, alignment stats and command line).

Usage

```
loadSTAR_chimeric(filename = NULL, ID_index = 0, returnColIdx = 1:21)
```

Arguments

filename : filename of the STAR chimeric output file. Can be gzipped
 ID_index : An index (single integer) which will be added as a separate column in the returned data table. Useful when collating multiple files into one large matrix like object.
 returnColIdx : Numeric index of columns to return. Default 1:15

Details

:

Reads in a text or gzipped chimeric output file generated by the STAR aligner. Function automatically detects if the last two lines contains meta-data (produced from STAR 2.7) onwards.

Returns a list of containing three items: (1) data_set (2) alignmentStats and (3) commandLine.

The column names of data_set are defined as c("chromDonor","startDonor","strandDonor", "chromAcceptor", "startAcceptor","strandAcceptor","JuncType", "RepeatLength_L", "RepeatLength_R", "ReadName","FirstBase_1stSeq","CIGAR_1stSeg", "FirstBase_2ndSeq","CIGAR_2ndSeg", "Multimapping")

If ID_index is set to a value greater than 0 then an additional column called "DataSet" is created.

Columns can be subsetted by defining returnColIdx with an integer value that correspond to order of column names listed above.

load_miRBase_fasta	<i>load_miRBase_fasta This function extracts species specific mirbase sequences as a Biostrings RNAstringset.</i>
--------------------	---

Description

load_miRBase_fasta This function extracts species specific mirbase sequences as a Biostrings RNAstringset.

Usage

```
load_miRBase_fasta(
  mirbaselocalDir = tempdir(),
  speciesCode = "hsa",
  filename = "hairpin.fa"
)
```

Arguments

mirbaselocalDir	: Directory where miRbase files are located. If files are not detected will download requested files from mirBase
speciesCode	: Three letter code of species (eg human = hsa). Used to subset species miRbase entries
filename	: The miRBase filename. Expects this to be a fasta formatted file. If file does not exist will download from mirBase.

```
miR_binding_site_Analysis
```

miR_binding_site_Analysis This function analyses a genomic (RNA or DNA) sequence for matching miRNA seed sequences.

Description

`miR_binding_site_Analysis` This function analyses a genomic (RNA or DNA) sequence for matching miRNA seed sequences.

Usage

```
miR_binding_site_Analysis(  
  Sequence_to_examine,  
  species_code,  
  seed_length = 6,  
  seed_start = 2,  
  selected_miRs = NULL,  
  rev_comp = TRUE,  
  mirbaselocalDir = tempdir()  
)
```

Arguments

`Sequence_to_examine` : RNA/DNA Sequence to be analysed for miRNA binding sites. Format can be a character string or Biostrings formatted object.

`seed_length` : Length of seed sequence of a miRNA (default 6).

`seed_start` : Starting position of seed sequence relative to mature miRNA sequence (default 2).

`selected_miRs` : names of miRNA.

`rev_comp` : Should function perform Reverse complement of `Sequence_to_examine` (default TRUE).

`mirbaselocalDir` : Directory where miRbase files are located. If files are not detected will download requested files from miRbase

`speciesCode` : Three letter code of species (eg human = hsa). Used to subset species miRbase entries

Details

The function will convert T to U and scan for matching miRNA seed sequences. Will return a list containing the following outputs: `SeedMatchResult` - counts of all seeds. Value of -1 indicates seed not detected. `Total_miR_number` - the total number of miRNA scanned against. `miR_Seed_Lookup` - data frame of all miRNA seeds scanned against.

Examples

```
Seq <- circSequence()
output <- miR_binding_site_Analysis(Sequence_to_examine = Seq, species_code = "hsa", rev_comp = TRUE)

# display frequency of seed sequences.
# Values of -1 do not occur
head(output$SeedMatchResult)
```

`plot_AllJunctions` *plot_AllJunctions*

Description

Plots a BSJ, FSJ and transcripts for a nominated gene. Output is combined onto a single page. This function effectively wraps plotting functions from plotgardener

Usage

```
plot_AllJunctions(
  assembly = "hg38",
  chrom,
  chromstart,
  chromend,
  BSJData,
  BSJ_colors = "black",
  FSJData,
  FSJ_colors = "black",
  geneSymbol
)
```

Arguments

<code>assembly</code>	: Genome assembly
<code>chrom</code>	: chromosome
<code>chromstart</code>	: Starting position of chromosome
<code>chromend</code>	: End position of chromosome
<code>BSJData</code>	: Backsplice junction data table
<code>BSJ_colors</code>	: Backsplice junction assigned colours
<code>FSJData</code>	: Forward junction data table
<code>FSJ_colors</code>	: Forward junction assigned colours
<code>geneSymbol</code>	: Gene symbol

Value

Returns a list of two DNAstring sets labelled "read1" and "read2" which correspond to forward and reverse read pairs.

Examples

```
library('Ularcirc')
# BSJ data.table
BSJ_data <- data.table::data.table(chrom1="chr2",
  start1=c(40139400, 40160764, 40428472, 40428472),
  end1=c(40139400, 40160764,40428472, 40428472),
  chrom2="chr2", start2=c(40178494,40178494,40430302,40430305),
  end2=c(40178494,40178494,40430302,40430305),
  score=c(13,20,360,1751))

# FSJ
FSJstarts1 <- c(40115630,40139677,40160865,40164985,40170350,40174721,
  40174843,40175282,40278771,40430302,40430305)
FSJstarts2 <- c(40139400,40160764,40164853,40170280,40174705,40174824,
  40175260,40178386,40428472,40453160,40512348)
FSJ_data <- data.table::data.table(chrom1="chr2", start1=FSJstarts1, end1=FSJstarts1,
  chrom2="chr2", start2=FSJstarts2, end2=FSJstarts2,
  score=c(225,825,685,666,633,596,517,542,685,101,171))

plot_AllJunctions(assembly="hg38", chrom="chr2",
  chromstart=40096769, chromend=40611554,
  BSJData=BSJ_data, FSJData=FSJ_data, geneSymbol="SLC8A1")
```

RAD_score

RAD_score

Description

Theoretically the position of backsplice junctions should be distributed randomly across a amplicon. This function calculates the read alignment distribution (RAD) of backsplice junctions between forward and reverse read pairs. The RAD score is calculated from CIGAR strings which can be used to identify type II and type III alignments.

Usage

```
RAD_score(
  CIGAR_1stSeg = NULL,
  CIGAR_2ndSeg = NULL,
  RADcountThreshold = 10,
  digits = 2
)
```

Arguments

CIGAR_1stSeg : CIGAR string of the first segment.
 CIGAR_2ndSeg : CIGAR string of the second segment
 RADcountThreshold : Minimum count threshold required to apply RAD score. If there are less than this many entries in CIGAR list then -1 is returned.
 digits : rounding of the RAD score to this many digits (default 2)

SelectUniqueJunctions *SelectUniqueJunctions*

Description

Builds a summary table from chimeric data obtained from the STAR aligner. Assembles table with the requested number of top entries. Populates with RAD score and FSJ score.

Usage

```

SelectUniqueJunctions(
  BSJ_junctions,
  filterlist = chimericFilters(),
  unstranded = FALSE,
  FSJ_Junctions = NULL,
  shinyapp = FALSE
)

```

Arguments

BSJ_junctions : Junction to display
 filterlist : filterlist
 unstranded : If TRUE will match reads from both strands.
 FSJ_Junctions : Junction to display.
 shinyapp : Boolean. If true used to setup control status bars in shiny app.

Details

This is the workhorse for collated BSJ junctions from the input data. It will return selected rows of data (annotated) that will enable enhanced browsing of raw data on the fly.

Filter options: Junction abundance. Sort

sequence_from_exon_coords
sequence_from_exon_coords

Description

sequence_from_exon_coords

Usage

```
sequence_from_exon_coords(genome, exon_df)
```

Arguments

genome : genome object
exon_df : data frame of exons. Must have column with names "chrom", "start", "stop", "strand"

Ularcirc *Ularcirc*

Description

When the function is invoked the Ularcirc shiny app is started. The starting screen has quickstart instructions on how to use the software. Please refer to the Ularcirc vignette for a more detailed workflow.

Usage

```
Ularcirc()
```

Value

Does not return anything

Examples

```
# The following commands will load the shiny app either through an RStudio session or  
# through your internet browser
```

```
library("Ularcirc")  
## Not run: Ularcirc()
```

Index

BSJ_details, [2](#)
bsj_fastq_generate, [3](#)
bsj_to_circRNA_sequence, [4](#)

chimericFilters, [6](#)
chimericStats, [7](#)
circSequence, [7](#)
Compatible_Annotation_DBs, [8](#)

FilterChimeric_Ularcirc, [10](#)
FilterChimericJuncs, [9](#)

Junction_Sequence_from_Genome, [11](#)

load_miRBase_fasta, [12](#)
loadSTAR_chimeric, [11](#)

miR_binding_site_Analysis, [13](#)

plot_AllJunctions, [14](#)

RAD_score, [15](#)

SelectUniqueJunctions, [16](#)
sequence_from_exon_coords, [17](#)

Ularcirc, [17](#)